NAME

Pod::Perldoc::ToMan - let Perldoc render Pod as man pages

SYNOPSIS

```
perldoc -o man Some::Modulename
```

DESCRIPTION

This is a "plug-in" class that allows Perldoc to use Pod::Man and `groff` for reading Pod pages.

The following options are supported: center, date, fixed, fixedbold, fixeditalic, fixedbolditalic, quotes, release, section

(Those options are explained in *Pod::Man*.)

For example:

```
perldoc -o man -w center:Pod Some::Modulename
```

CAVEAT

This module may change to use a different pod-to-nroff formatter class in the future, and this may change what options are supported.

SEE ALSO

Pod::Man, *Pod::Perldoc*, *Pod::Perldoc::ToNroff*

COPYRIGHT AND DISCLAIMERS

Copyright (c) 2011 brian d foy. All rights reserved.

Copyright (c) 2002,3,4 Sean M. Burke. All rights reserved.

This library is free software; you can redistribute it and/or modify it under the same terms as Perl itself.

This program is distributed in the hope that it will be useful, but without any warranty; without even the implied warranty of merchantability or fitness for a particular purpose.

AUTHOR

Current maintainer: Mark Allen `<mallen@cpan.org>`

Past contributions from: brian d foy `<bdfoy@cpan.org>` Adriano R. Ferreira `<ferreira@cpan.org>`, Sean M. Burke `<sburke@cpan.org>`