

## NAME

TAP::Parser::YAMLish::Reader - Read YAMLish data from iterator

## VERSION

Version 3.38

## SYNOPSIS

## DESCRIPTION

Note that parts of this code were derived from *YAML::Tiny* with the permission of Adam Kennedy.

## METHODS

### Class Methods

#### new

The constructor `new` creates and returns an empty `TAP::Parser::YAMLish::Reader` object.

```
my $reader = TAP::Parser::YAMLish::Reader->new;
```

### Instance Methods

#### read

```
my $got = $reader->read($iterator);
```

Read YAMLish from a *TAP::Parser::Iterator* and return the data structure it represents.

#### get\_raw

```
my $source = $reader->get_source;
```

Return the raw YAMLish source from the most recent `read`.

## AUTHOR

Andy Armstrong, <andy@hexten.net>

Adam Kennedy wrote *YAML::Tiny* which provided the template and many of the YAML matching regular expressions for this module.

## SEE ALSO

*YAML::Tiny*, *YAML*, *YAML::Syck*, *Config::Tiny*, *CSS::Tiny*, <http://use.perl.org/~Alias/journal/29427>

## COPYRIGHT

Copyright 2007-2011 Andy Armstrong.

Portions copyright 2006-2008 Adam Kennedy.

This program is free software; you can redistribute it and/or modify it under the same terms as Perl itself.

The full text of the license can be found in the LICENSE file included with this module.