

NAME

perlutil - utilities packaged with the Perl distribution

DESCRIPTION

Along with the Perl interpreter itself, the Perl distribution installs a range of utilities on your system. There are also several utilities which are used by the Perl distribution itself as part of the install process. This document exists to list all of these utilities, explain what they are for and provide pointers to each module's documentation, if appropriate.

LIST OF UTILITIES

Documentation

perldoc

The main interface to Perl's documentation is *perldoc*, although if you're reading this, it's more than likely that you've already found it. *perldoc* will extract and format the documentation from any file in the current directory, any Perl module installed on the system, or any of the standard documentation pages, such as this one. Use *perldoc* <name> to get information on any of the utilities described in this document.

pod2man and *pod2text*

If it's run from a terminal, *perldoc* will usually call *pod2man* to translate POD (Plain Old Documentation - see *perlpod* for an explanation) into a manpage, and then run *man* to display it; if *man* isn't available, *pod2text* will be used instead and the output piped through your favourite pager.

pod2html

As well as these two, there is another converter: *pod2html* will produce HTML pages from POD.

pod2usage

If you just want to know how to use the utilities described here, *pod2usage* will just extract the "USAGE" section; some of the utilities will automatically call *pod2usage* on themselves when you call them with *-help*.

podselect

pod2usage is a special case of *podselect*, a utility to extract named sections from documents written in POD. For instance, while utilities have "USAGE" sections, Perl modules usually have "SYNOPSIS" sections: *podselect -s "SYNOPSIS" . . .* will extract this section for a given file.

podchecker

If you're writing your own documentation in POD, the *podchecker* utility will look for errors in your markup.

splain

splain is an interface to *perldiag* - paste in your error message to it, and it'll explain it for you.

roffitall

The *roffitall* utility is not installed on your system but lives in the *pod/* directory of your Perl source kit; it converts all the documentation from the distribution to **roff* format, and produces a typeset PostScript or text file of the whole lot.

Converters

To help you convert legacy programs to more modern Perl, the *pl2pm* utility will help you convert old-style Perl 4 libraries to new-style Perl5 modules.

Administration

libnetcfg

To display and change the libnet configuration run the `libnetcfg` command.

perlivp

The *perlivp* program is set up at Perl source code build time to test the Perl version it was built under. It can be used after running `make install` (or your platform's equivalent procedure) to verify that perl and its libraries have been installed correctly.

Development

There are a set of utilities which help you in developing Perl programs, and in particular, extending Perl with C.

perlbug

perlbug is the recommended way to report bugs in the perl interpreter itself or any of the standard library modules back to the developers; please read through the documentation for *perlbug* thoroughly before using it to submit a bug report.

perlthanks

This program provides an easy way to send a thank-you message back to the authors and maintainers of perl. It's just *perlbug* installed under another name.

h2ph

Back before Perl had the XS system for connecting with C libraries, programmers used to get library constants by reading through the C header files. You may still see `require 'syscall.ph'` or similar around - the *.ph* file should be created by running *h2ph* on the corresponding *.h* file. See the *h2ph* documentation for more on how to convert a whole bunch of header files at once.

h2xs

h2xs converts C header files into XS modules, and will try and write as much glue between C libraries and Perl modules as it can. It's also very useful for creating skeletons of pure Perl modules.

enc2xs

enc2xs builds a Perl extension for use by Encode from either Unicode Character Mapping files (*.ucm*) or Tcl Encoding Files (*.enc*). Besides being used internally during the build process of the Encode module, you can use *enc2xs* to add your own encoding to perl. No knowledge of XS is necessary.

xsubpp

xsubpp is a compiler to convert Perl XS code into C code. It is typically run by the makefiles created by *ExtUtils::MakeMaker*.

xsubpp will compile XS code into C code by embedding the constructs necessary to let C functions manipulate Perl values and creates the glue necessary to let Perl access those functions.

prove

prove is a command-line interface to the test-running functionality of *Test::Harness*. It's an alternative to `make test`.

corelist

A command-line front-end to `Module::CoreList`, to query what modules were shipped with given versions of perl.

General tools

A few general-purpose tools are shipped with perl, mostly because they came along modules included in the perl distribution.

piconv

piconv is a Perl version of **iconv**, a character encoding converter widely available for various Unixen today. This script was primarily a technology demonstrator for Perl v5.8.0, but you can use piconv in the place of iconv for virtually any case.

ptar

ptar is a tar-like program, written in pure Perl.

ptardiff

ptardiff is a small utility that produces a diff between an extracted archive and an unextracted one. (Note that this utility requires the `Text::Diff` module to function properly; this module isn't distributed with perl, but is available from the CPAN.)

ptargrep

ptargrep is a utility to apply pattern matching to the contents of files in a tar archive.

shasum

This utility, that comes with the `Digest::SHA` module, is used to print or verify SHA checksums.

zipdetails

zipdetails displays information about the internal record structure of the zip file. It is not concerned with displaying any details of the compressed data stored in the zip file.

Installation

These utilities help manage extra Perl modules that don't come with the perl distribution.

cpan

cpan is a command-line interface to CPAN.pm. It allows you to install modules or distributions from CPAN, or just get information about them, and a lot more. It is similar to the command line mode of the *CPAN* module,

```
perl -MCPAN -e shell
```

instmodsh

A little interface to `ExtUtils::Installed` to examine installed modules, validate your packlists and even create a tarball from an installed module.

SEE ALSO

perldoc, *pod2man*, *perlpod*, *pod2html*, *pod2usage*, *podselect*, *podchecker*, *splain*, *perldiag*, *roffitall*|*roffitall*, *File::Find*, *pl2pm*, *perlbug*, *h2ph*, *h2xs*, *enc2xs*, *xsubpp*, *cpan*, *instmodsh*, *piconv*, *prove*, *corelist*, *ptar*, *ptardiff*, *shasum*, *zipdetails*